

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- E'
1. (cancelled)
 2. (currently amended) The method of claim [1] 16, wherein:
[-]the first apparatus performs first communication functionalities using data stored in the first data base; and
[-] the second apparatus performs second communication functionalities using data stored in the second data base.
 3. (currently amended) The method of claim [1]16, wherein each of the first and second apparatus comprises at least one of the following: a PDA with an Internet capability, a mobile phone, a wired phone, a pager.
 4. (currently amended) The method of claim [1]16, wherein the information is uploaded via the Internet from the first apparatus to the server.
 5. (currently amended) The method of claim [1]16, wherein the information is downloaded via the Internet to the second apparatus.
 6. (currently amended) The method of claim [1]16, wherein the server keeps a copy of the information uploaded.

7. (currently amended) The method of claim [1]16, wherein the manipulating comprises at least one of the following:

selectively extracting data from the uploaded information and converting a format.

8. (cancelled)

9. (currently amended) The ~~method~~ system of claim [8] 17, wherein the ~~enabling server is enabled~~ to manipulate ~~comprises by~~ at least one of the following: selectively extracting data from the information and converting of a format.

10. (currently amended) The ~~method~~ system of claim [8] 17, wherein:

[-] the first apparatus has a first communications capability based on the first data base;

[-] the second apparatus has a second communications capability based on the second data base;

[-] the first data base relates to a first communications directory; and

[-] the second data base relates to a second communications directory.

11. (currently amended) A method for transferring data in a database of a first mobile terminal to [a] one or more second mobile ~~terminal~~ terminals, comprising:

providing a common server accessible to a first mobile terminal and a corresponding

second mobile terminal, the terminals being remote from each other and the

server, the first mobile terminal having at least a first application and associated

first database for use in the first mobile terminal, and the second mobile terminal

having at least a second application and associated second database for use in

the second mobile terminal;

enabling the upload of ~~uploading~~ data from the first application's first database to the common server;
associating the data with a particular user;
determining a format required by the particular user;
converting the uploaded data to conform to the format; and
the server determining which from a plurality of corresponding and non-corresponding mobile terminals is a corresponding second mobile terminal and selectively transferring downloading the converted data automatically into the second database for use by the second application.

- E'
Cont
12. (previously presented) The method of claim 11, wherein the first database includes a telephone directory.
13. (previously presented) The method of claim 11, wherein the second database includes a telephone directory.
14. (previously presented) The method of claim 11, wherein the first apparatus and the second apparatus includes one or more of a PDA, a pager, and a cellular telephone.
15. (previously presented) The method of claim 1, wherein the manipulated information includes one or more telephone numbers automatically retrievable by the second apparatus to initiate a telephone call from the second apparatus.

16. (new) A method comprising:

providing a server accessible by a plurality of sets of corresponding apparatuses, the apparatuses being remote from the server and from each other, each set of corresponding apparatuses being for a specific one of a plurality of users of the sets;

receiving data from a first apparatus in a set;

manipulating the data so that it is usable by a program application in a corresponding second apparatus of the set; and

selectively transferring the manipulated data to the one or more second apparatuses in the set.

17. (new) A system comprising:

a server enabled for access by a plurality of sets of corresponding apparatuses the apparatuses being remote from the server and from each other, each set of corresponding apparatuses being for a specific one of a plurality of users of the sets;

the server enabled to receive data from a first apparatus in a set;

the server enabled to manipulate the data so that it is usable by a program application in a corresponding second apparatus of the set; and

the server enabled to selectively transfer the manipulated data to the one or more second apparatuses in the set.